#### JavaScript "Tips of the Day"

These were "JavaScript Tips of the Day" in 2021 Lectures

### **JavaScript Tips**

- 1. Survival Skills (use semicolons)
- 2. Don't pretend it's another lang
- 3. Functions, Scope, Closures
- 4. Spread Syntax
- 5. Literal Objects
- 6. Class-based Objects

- 7. Functions are objects
- 8. Traditional Object-Oriented Programming
- 9. Beware of this
- 10. ES6 modules
- 11. Typing and Casts

Some others will be mixed in with THREE.js programming

### **Survival Example**

#### **Use Semicolons!**

A JavaScript Survival Example

#### **Principle:**

JavaScript is designed to "keep going" in the face of problems

#### **Design Decison:**

No error if you leave out a semi-colon

If you forget a semi-colon, the compiler will guess where it is needed!

But, sometimes it guesses wrong

#### **Survival Secret:**

Use semi-colons where appropriate (to end statements)

Use an editor that reminds you when you forget

# Do not pretend it is "some other" language

#### Understand scope, functions, closures

There is a whole separate video on this topic

#### **Spread Syntax and Arguments**

#### **Spread Syntax**

```
pent[0] is an array [200,100]
context.moveTo() takes 2 parameters x, and y
context.moveTo(pent[0][0],pent[0][1]) is clunky
context.moveTo(...pent[0]) uses the spread operator
                                    pent Co7

pent Co7

pent Co7
```

#### Flexible Arguments

Extra arguments: ignored

Unbound arguments: undefined

undefined is a value

note also: template literal

## **Literal Objects**

#### JavaScript tip of the day

```
dots = [ { "x":-5 , "y":10 }, /* and more */ ]
```

The quotes are optional if the keys are tokens:

```
dots = [ { x:10, y:20 }, { x:-5 , y:10 }, /* and more */ ]
dot = { x:5, y:10 }
```

These make objects

```
dot.x === dot["x"]
```

## **Class-based Objects**

#### JavaScript has "class-based" objects

```
class Dot {
          this.x = x;
          this.y = y;
     }
};
dot = new Dot(5,10);
dots = [ new Dot(10,20), new Dot(-5,10), /* and more */ ]
```

#### Act like simple objects (hastables)

```
dot["v"] = dot["x"]; dot.w = dot.y;
```

#### How to do objects?

- Javascript has flexible mechanisms
  - o literal objects, prototype chains, method patching, ...
- "Traditional" mechanisms built on these
  - o class instance, inheritence, ...
- literals are concise
- { a: -, b: ~ }
- Traditional is simple
- Flexible can be handy, but can be confusing
  - Have good reasons for using flexibility
- Historic code uses old mechanisms<sub>14</sub>

## **JavaScript Tip 7**

#### **Functions and Closures**

A review of Tip 3

#### JavaScript tip of the day

function defines a function those functions are objects

```
(1) let a = Function object

"One"

(3) call A "Two"


Function print "foor!

(4) Three
```

```
function a() {
     console.log("Two"
     return function()
         console.log("Four");
 console.log("One");
  let f = a();
("Three");
```

#### Closure!

function defines a function
those functions are objects
can access surrounding variables
(including parameters)



### **JavaScript Tip 8**

# Traditional Object-Oriented Programming 2

**Constructors and Methods** 

#### Class, Constructor, Method ...

```
class/Rectangle {
   constructor(x, y, height, width) { Lhis { }
       this.x = x;
                                       this. draw = function ( - - - ) { }
       this.y = y;
        this.height = height;
        this.width = width;
    draw(context) {
        context.fillRect(this.x, this.y, this.height, this.width);
            let r= new Rectangle ( .....).
             r. draw ()
```

# **JavaScript Tip 9**

# Beware of this

#### **Beware of this!**

this is a keyword not a variable

it does not behave like a variable - it is **not** lexically scoped it has different meanings depending on context

W3 schools lists **6** different meanings of this!

Only use this when you know what it means

- 1. inside of methods
- 2. save a copy when you know what it means

#### This in methods

#### In a constructor:

this refers to the new (initially empty) object

#### In a method:

this refers to the object the method was called on



Except: Somethings redefine this

- Inner functions and event handlers
- special functions (call, apply, maybe others)

#### this is not lexical!

```
class MyButton {
   constructor (say)
      let button = document.createElement("Button");
       document.getElementById("buttons-here").append(button);
       button.innerText = "Speak"; 
       this.word = say;
       button.onclick = function() {
           console.log(`Says ${this.word}`); // undefined!
```

#### **This and That**

```
class MyButton2 {
    constructor(say) {
        let button = document.createElement("Button");
        document.getElementById("buttons-here").append(button);
        button.innerText = "Speak";
        this.word = say;
        let that=this;  // lexical variable - behaves nicely
        button.onclick = function() {
           console.log(`Says ${this.word}`); // undefined!
            console.log(`Really says ${that.word}`);
                       510SJA
```

## Methods are (and are not) special

```
class MyClass {
 constructor(a) {
   this.a = a;
    this.a1 = function() {console.log(this.a);}
 a2() { console.log(this.a);}
let inst = new MyClass(5);
// we can add a method to the instance - after the fact!
inst.a3 = function() {console.log(this.a);}
inst.a1();
inst.a2();
inst.a3();
```

this is defined at call time

# **JavaScript Tip 10**

#### **ES6 Modules**

#### JavaScript Tip of the day: ES6 Modules

#### in html:

```
<script src="1-1.js" type="module" defer></script>
                                         -some ofter file
in JavaScript:
 import { functionGallery } from "./1-curves.js";
               inside 1- culvesijs
in the module:
 export function functionGallery(context, t, tangentScale) {
```

you need to pick what to import and export!

# **JavaScript Tip 11**

# **Typing**

### Types in JavaScript

Javascript is dynamically typed - it figures out the types at run time

variables can hold different types

```
let x;  // x = undefined  
x=5;  // x is an integer
x="five";  // x is now a string
x={v:5};  // x is now an object
```

functions can return different types

```
function intOrString(){
   return Math.random() > .5 ? 1 : "tails";
}
```

#### What does this return?

```
let canvas = document.getElementById("mycanvas");
```

- JavaScript just know it returns something
- If you read the documentation, you know its an HTMLElement
  - o getElementById can return any element

• I wrote the HTML and know it should be a HTMLCanvasElement

## JavaScript Tip: Unsafe Casts

#### Document what you know!

- a gift to your future self (and other programmers)
- tools can read comments too!

```
const canvas = ( /** @type {HTMLCanvasElement} */, document.getElementById("mycanvas"));
```

In some other languages, if the compiler doesn't know the type at compile time, it is an error. Casts are more than just documentation.

#### **JavaScript Tip: Explicit Type Checks**

What if your assumption is wrong?

Check to be sure!

- 1. Catches errors (no element, wrong element)
- 2. Need to handle error (throw might not be a good idea)
- 3. Serves as documentation of expected type
  - Good tools can infer types from it

### **JavaScript Tips**

- 1. Survival Skills (use semicolons)
- 2. Don't pretend it's another lang
- 3. Functions, Scope, Closures
- 4. Spread Syntax
- 5. Literal Objects
- 6. Class-based Objects

- 7. Functions are objects
- 8. Traditional Object-Oriented Programming
- 9. Beware of this
- 10. ES6 modules
- 11. Typing and Casts

Some others will be mixed in with THREE.js programming